

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/772,039	02/04/2004	Lars Richter	030716 RICHTER	5101	
7590 12/01/2004			EXAM	EXAMINER	
DAVID DOUGLAS WINTERS			COURSON,	COURSON, TANIA C	
2277-C SUITE 237 WILMA RUDOLPH BLVD CALARKSVILLE, TN 37040-5898			ART UNIT	PAPER NUMBER	
			2859		

DATE MAILED: 12/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

_		Application No.	Applicant(s)			
Office Action Summary		10/772,039	RICHTER ET AL.			
		Examiner	Art Unit			
		Tania C. Courson	2859			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE   - External after   - If the   - If NC   - Failu   Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	86(a). In no event, however, may a reply be within the statutory minimum of thirty (30) d fill apply and will expire SIX (6) MONTHS fro cause the application to become ABANDON	timely filed  ays will be considered timely.  m the mailing date of this communication.  IED (35 U.S.C. § 133).			
Status						
1)[	Responsive to communication(s) filed on					
2a) <u></u>	This action is <b>FINAL</b> . 2b) This action is non-final.					
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠	4)⊠ Claim(s) <u>1-36</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)	5) Claim(s) is/are allowed.					
·	S)⊠ Claim(s) <u>1-36</u> is/are rejected.					
	·					
8)[_]	Claim(s) are subject to restriction and/or	election requirement.				
Applicati	on Papers					
9)🖂	The specification is objected to by the Examine	г.	•			
10)⊠ The drawing(s) filed on <u>04 February 2004</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority (	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
+ 6	application from the International Bureau					
* See the attached detailed Office action for a list of the certified copies not received.						
Attachmen	t(s)					
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
2) Notic	e of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail	Date			
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date 02FEB04.	Patent Application (PTO-152)				

Art Unit: 2859

#### **DETAILED ACTION**

## Claim Objections

1. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 1, 1A, 2, 3A-3G, 4, 4A-4C, 4F-4G, 5, 5A-5G, 8, 8A-8B and 9-16 (which consists of the entire set of claims) been renumbered 1-36, with appropriate changes to the dependency (see Attachment #1 for numbering changes).

- 2. Claims 1-3, 10, 16 and 31 are objected to because of the following informalities:
  - a) Claims 1-3: it is unclear whether "/" (i.e. sensor(s)/accelerometer(s)) signifies, "and", "or" or "and/or". For examination purposes, the examiner has assumed that "/" signifies "or";
  - b) Claims 10 and 16, in lines 1-2, respectively, "the machine's case" lacks antecedent basis;
  - c) Claims 31 in line 3, "the sensor module" lacks antecedent basis;
    Appropriate correction is required.

Application/Control Number: 10/772,039

Art Unit: 2859

## Specification

Page 3

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required:

a) Claim 34 recites the limitation "an alarm signal" in line 1, this is not found in the specification.

# Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

  The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Regarding claims 1, 2, 3, 31 and 33 the phrase "for example" renders the claim indefinite because it is unclear whether the limitation(s) following the phrase are part of the claimed invention. See MPEP § 2173.05(d).
- 6. Regarding claim 36, the phrase "such as" renders the claim indefinite because it is unclear whether the limitations following the phrase are part of the claimed invention. See MPEP § 2173.05(d).
- 7. Claims 8-9 and 22-23 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. It is

Art Unit: 2859

not clear how graphic display of the bubble level is read without use of scales on the display case.

### Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. Claims 1-4, 6-7, 12, 14-15, 18, 20-21, 26-31, 33 and 35-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Richter (US 6,715,213 B2).

Richter discloses in Figures 1, 1A and 2, a gyroscopic device comprising:

#### With respect to Claims 1-2:

- a) one or more multi-axis tilt sensor(s)/accelerometer(s) (Fig. 1A, gyroscope 22), or multiple tilt sensors/accelerometers, situated about different axis;
- b) a computing device (Fig. 1A, microprocessor 24) that receives inputs from the said tilt sensor(s)/accelerometer(s) (Fig. 2);
- c) calculates compounded angles of the various angles it measures (column 3, lines 5-10);

Application/Control Number: 10/772,039

Art Unit: 2859

Page 5

d) translates expressions of angular measurement and outputs the results for display, computation or extraction (Fig. 1, display 38).

With respect to Claims 3-4, 6-7, 12, 14-15, 18, 20-21, 26-31, 33 and 35-36:

- a) wherein a means of information extraction is incorporated (Fig. 1, laser 34);
- b) displays the results of the measurements and/or calculations in graphic, numeric format (Fig. 1);
- c) wherein the display format is user controllable allowing selection of either graphic or numeric format (Fig. 1);
- d) wherein multiple displays may be exhibited sequentially (column 3, line 57 through column 4, line 8);
- e) wherein multiple display modes are controllable, being user selectable to exhibit simultaneously or sequentially (column 3, line 57 through column 4, line 8);
- f) wherein angles may be measured and/or calculated in multiple modes comprising various levels of precision and of speed of measurement and/or calculation (Fig. 1);
- g) wherein the modes of measurement and /or calculation may be selected automatically by the machine itself (column 4, lines 37-50);
- h) wherein the modes of measurement and /or calculation may be manually selected by the user (column 3, line 57 through column 4, line 8);

Art Unit: 2859

i) wherein one or more means of orienting the device with respect to distant or remote reference points is incorporated, these means being preferably by use of a laser light or other electromagnetic energy beam projected from the device, but also including optical sight or reticule, audio beam, mechanical arm or extension, or any other manner of remote reference (Fig. 1, laser module 34);

- j) wherein the measurements and results of calculations may be recorded and later displayed or output for reference (column 3, line 57 through column 4, line 8);
- k) wherein computing component can automatically select a display mode in accordance with the orientation of the device as detected by the sensor module (column 3, line 57 through column 4, line 8);
- l) wherein a discrete signal is emitted when the unit attains one or more predetermined angular positions (column 5, lines 34-49).

With respect to claims 4 and 18: Regarding the term "graphic", the examiner utilizes the following broadest definition: "of or relating to written representation" (the American Heritage Dictionary, 1992).

# Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Page 7

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

11. Claims 5, 8-11, 13, 16-17, 19, 22-25, 32 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Richter in view of Heger et al. (US 5,956,260), Beckhart et al. (US 6,526,668 B1) and Franks (US 4,546,551).

Richter discloses a gyroscopic device, as stated above in paragraph 9.

Richter does not disclose wherein displays may be exhibited simultaneously, wherein one or more graphic displays resemble the form of a bull's eye bubble level, wherein one or more graphic displays resemble the form of a curved-tube bubble level, wherein displays appear on different faces of the machine's case according to the axis about which the measurements or calculations producing them are made, display a line representing the edge of the plane in which that angle lies, wherein the ambient temperature is measured and displayed for calibration purposes and wherein an alarm signal is emitted that varies in accordance with the machine's proximity to pre-determined angles.

Heger et al. teach an inclination device that consists of wherein displays may be exhibited simultaneously (Fig. 1A), wherein displays appear on different faces of the machine's case according to the axis about which the measurements or calculations producing them are made (Fig. 1A), display a line representing the edge of the plane in which that angle lies (Fig. 1A and inclination segments 12 d-e) and wherein an alarm signal is emitted that varies in accordance with the machine's proximity to pre-determined angles (Fig. 1A, loudspeaker icon 16).

Art Unit: 2859

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the gyroscopic device of Richter, so as to include displays exhibited simultaneously, a line representing an angle and an alarm, as taught by Heger et al., so as to provide additional measurement and audio features to enhance the precision in measurement during use of the device.

Beckhart et al. teach a leveling device that consists of wherein one or more graphic displays resemble the form of a bull's eye bubble level (Fig. 1, graphic display 22). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the gyroscopic device of Richter, so as to include a bull's eye graphic display, as taught by Beckhart et al., so as to provide an enhanced visual display during use of the device.

With respect to claims 9 and 23: the shape of the graphic display, i.e., curved-tube bubble level, absent any criticality, are only considered to be obvious modifications of the shape of the graphic display (Fig. 1, graphic display 22) disclosed by Richter and Beckhart et al. as the courts have held that a change in shape or configuration, without any criticality, is within the level of skill in the art as the particular shape claimed by Applicant is nothing more than one of numerous shapes that a person having ordinary skill in the art will find obvious to provide using routine experimentation based on its suitability for the intended use of the invention. See *In re Dailey*, 149 USPQ 47 (CCPA 1976). Therefore, one skilled in the art would change the shape of the graphic display in order to suit the needs of the user of the device.

Art Unit: 2859

Franks teaches a measurement device that consists of wherein the ambient temperature is measured and displayed for calibration purposes (Fig. 1, temperature display 37). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the gyroscopic device of Richter, so as to include an ambient temperature display, as taught by Franks, so as to provide enhanced measurement features during use of the device.

#### Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The prior art cited on PTO-892 and not mentioned above disclose a leveling device:

Hamar (US 2004/0083616 A1)

Cetera (US 6,595,683 B1)

Alger et al. (US 5,191,713)

Butler et al. (US 4,912,662)

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tania C. Courson whose telephone number is (571) 272-2239. The examiner can normally be reached on Monday-Friday from 8:00AM to 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez, can be reached on (571) 272-2245.

Art Unit: 2859

The fax number for this Organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DIEGO F.F. GUTIERREZ

SUPERVISORY PATENT EXAMINER

**GROUP ART UNIT 2859** 

**TCC** 

November 29, 2004